

## Double Elite Ceiling Mount - ELP6220-XT24-KUB


Ideal for ceiling mount with a keyboard.

- **MOUNT** stows conveniently overhead and rests 12" (30.5 cm) from the base of the drop pole.
- **FULLY CONCEALED** internal cable management protects cabling.
- **REMOVABLE STOP PIN** prevents mount from turning 180° and twisting cables internally.
- **ADJUSTABLE DROP POLE** has two retracting options — 19 to 26" (48.3 to 66 cm) and 26 to 37" (66 to 94 cm).
- **STOWS SAFELY** out of the way overhead.

### Specifications

Maximum Reach	63" to 78" (160 cm to 198.1 cm)
Load Capacity	30 lbs (13.6 kg) with LCD only 22 lbs (10 kg) with LCD and Keyboard
Vertical Movement	38" (96.5 cm)
Diameter of Motion	68" (172.7 cm)
Adjustable Drop Pole Options	<b>XT24:</b> 26" to 37" (66 cm to 94 cm) <b>XT12:</b> 19" to 26" (48.3 cm to 66 cm)


Monitor, keyboard and mouse not included.




### Powder Coat Color Options

ICW mounts are available in durable powder coated finishes to match your facility decor.

Medical White (MW) Matches A-dec	Writable Black (WB)	Putty (P) Matches Pelton & Crane	Tan (T) Matches A-dec	Quartz Gray (QG)
-------------------------------------	---------------------	-------------------------------------	--------------------------	------------------



## Overhead Arm - UL182i-OHAT and UL182i-OHAP




### Specifications


	Standard Overhead Arm UL182i-OHAT/OHAP	Overhead Short Arm UL182i-OHATS/OHAPS
Load capacity	28 lbs (12.7 kg)	28 lbs (12.7 kg)
Maximum Horizontal Reach	77.5" (196.9 cm) with UL182	63" (160 cm) with UL182
	56.5" (143.5 cm)	42" (106.7 cm)
Vertical Adjustment Range	24" (61 cm)	24" (61 cm)
Horizontal swivel	180° at mount	180° at mount
Stowed depth	4" (10.2 cm)	4" (10.2 cm)
Mounting surface	Wall track or wall plate	Wall track or wall plate
Ultra 182 arm swivel	360°	360°
Monitor swivel	360°	360°
Monitor tilt	90°	90°
VESA interface	75 mm and 100 mm	75 mm and 100 mm
Finish	Powder coat	Powder coat

Monitor, keyboard and mouse not included.

### Standard Overhead Arm



### Overhead Short Arm



<b>Standard Overhead Arm</b>	<b>Overhead Short Arm</b>
<b>Price: \$1,534</b>	<b>Price: \$1,599</b>



## Titan Elite Ceiling - T2EQ-C8X5

Exceptional range of motion.  
Precise positioning.



### Specifications

Load Capacity	28 lbs (12.7 kg)
Lift Distance	21" (53.3 cm)
Maximum Reach	42" (106.7 cm)
Arm Swivel at Mount	360°
Screen Swivel	360°
Screen Tilt	50°

Monitor not included.

#### NOW EASY TO CABLE MANAGE

Does not require disassembly.  
Cables run through the joints.



## Ultra 180 and Ultra 182



The only arm with smooth, stable 180° vertical lift and up to 360° horizontal rotation (PATENT 9243743)

The patented Ultra 180 arm offers full articulation of your monitor and keyboard while supporting up to 32 lbs (14.5 kg). Easy to install and cable manage, the arm provides 180° of vertical lift and up to 360° of horizontal rotation. The Ultra 180 stows close to the wall, making it the perfect choice for tight spaces.

### Specifications


Load Capacity	32 lbs (14.5 kg)
Maximum Reach (UL180)	15.5" (39.4 cm) with LCD Only 32.5" (82.6 cm) with LCD and Flip-Up Keyboard 38.5" (97.8 cm) with LCD, Flip-Up Keyboard and AS1 Arm
Maximum Reach (UL182)	19.5" (49.5 cm) with LCD Only 36.5" (92.7 cm) with LCD and Flip-Up Keyboard 42.5" (108 cm) with LCD, Flip-Up Keyboard and AS1 Arm
Vertical Adjustment Range	UL180: 16" (40.6 cm) UL182: 24" (61 cm)
Stowed Depth	10" (25.4 cm)
Horizontal Rotation	180° at Wall 270° at A1 Joint
Monitor Tilt	50°
Monitor Pan Left to Right	270°
Monitor Rotation	Landscape to portrait position
VESA Interface	75 mm and 100 mm

Monitor, keyboard and mouse not included.



The Ultra 180 and Ultra 182 arms are protected by U.S. Patent 9,243,743.

## VT21 Low Profile Sit-Stand Workstations



### VTLP Specifications

Vertical Adjust. Range	21" (53.3 cm)
Extended Depth with Keyboard Tray	17" (43.2 cm)
Stowed Depth (mounts flat against wall)	4" (10 cm)


Monitor (not included) does not rotate or tilt.



### VT21 Specifications

Vertical Adjust. Range	21" (53.3 cm)
Extended Depth with Keyboard Tray	17" (43.2 cm)
Stowed Depth (mounts flat against wall)	5.5" (14 cm)

Monitor (not included) tilts, pans, and rotates.



### VTTM Dual Arm Specifications

Vertical Adjust. Range	21" (53.3 cm)
Extended Depth with Keyboard Tray	28" (71 cm)
Stowed Depth	7" (17.8 cm)
Horizontal Arm Swivel at Mount	180°


Monitor (not included) tilts, pans, and rotates.

Starting Price: **\$899**


Price as Shown: **\$999**

## Elite Double Arm - Elite 5220 and Elite 5216

### ELP5220-WT-KUB



Price: **\$934**  
(as shown)




### Specifications

	Elite 5220 Wall Mount ELP5220-WT-KUB	Elite 5216 Wall Mount ELP5216-WT-KUS
Load Capacity	30 lbs (13.6 kg) w/LCD only 22 lbs (9.9 kg) w/LCD and Keyboard	30 lbs (13.6 kg) w/LCD only 22 lbs (10 kg) w/LCD and Keyboard
Maximum Horizontal Reach	56.25" (142.9 cm) w/LCD only 68" (172.7 cm) w/LCD and Keyboard Ultra Slide	43" (109.2 cm) w/LCD only 58" (147.3 cm) w/LCD and Keyboard 64" (162.6 cm) w/LCD and Keyboard Ultra Slide
Vertical Adjustment Range	42" (106.7 cm)	30" (76.2 cm)
Stowed Depth	10.5" (26.7 cm)	10.5" (26.7 cm)
Mounting Surface	Wall, Desk, Pole or Wall Track	Wall, Desk, Pole or Wall Track
Arm Swivel at Mount	180°	180°
Monitor Swivel	360°	360°
Monitor Tilt	50°	50°
VESA Interface	75 mm and 100 mm	75 mm and 100 mm
Finish	Powder coat	Powder coat

Monitor, keyboard and mouse not included.


### ELP5216-WT-KUS



Price: **\$1,074**  
(as shown)

For more options call your ICW Dental product specialist or visit [www.icwdental.com](http://www.icwdental.com).

## Single Elite Arm - ELQ5120-C8X12



**Starting Price:**  
**\$609**

### Specifications

Load Capacity	28 lbs (12.7 kg)
Lift Distance	21" (53.3 cm)
Maximum Reach	27" (68.6 cm)
Arm Swivel at Mount	360°
Screen Swivel	360°
Screen Tilt	50°
VESA Interface	75 mm and 100 mm


Monitor not included.

Also available as a wall mount

## Tablet Mount - Professional

**TABSDM:** Tamper Resistant Desk Mount

**TABCC:** Clamp mount




**Price:**  
**\$259**

### Specifications

Maximum Height	16.6" (42.2 cm)
Stowed Height	26" (66 cm)
Min. Tablet Size	6.5" to 9.5" (16.5 cm to 24.1 cm)
Max. Tablet Size	8" to 11.5" (20.3 cm to 29.2 cm)

Tablet not included.



Also available as tablet mounting plate only, no stand. Theft resistant fastener is included.

## Ultra 500i Wall Track Workstation


**UL500i-T36D-KPB-A3**

### Specifications

Load Capacity	18 lbs (8.2 kg) LCD only 28 lbs (12.7 kg) LCD and Keyboard
Maximum Reach	42" (106.7 cm)
Stowed Depth	5.5" (14 cm)
Arm Swivel	360°
Screen Tilt	180°
VESA Interface	75 mm and 100 mm

Monitor not included.

**Price:**  
**\$713**  
(as shown)



## Ultra Undercabinet Monitor Mount

**UL180i-BV-TS28-D1-A1**

**Price:**  
**\$677**

(as shown)  
Other models available

Glides 28" (71.1 cm) horizontally on mounting track

180° swivel at mount

360° swivel at joint

Up to 16" (40.6 cm) vertical adjustment

6-way monitor pan, tilt and rotate

50° screen tilt

360° screen rotation

### Specifications

Load Capacity	32 lbs (14.5 kg)
Ultra 180 Arm Reach	16" (40.6 cm)
Horizontal Glide	28" (71 cm)
Stowed Depth	10" (25.4 cm)
Arm Swivel at Mount	Up to 360°
Screen Rotation	360°
Screen Tilt	50°
Mounting Options	Under Cabinet or Shelf

Monitor not included.

## Accessories



**GX Series Compact monitor mounts**  
starting at \$83



**CPU mounts**  
starting at \$105



**Adjustable Mini-PC and Scanner mounts**  
starting at \$54